

Fond du Lac Co Corn Silage Moisture Determination

Date: 9.24.19

#	City/Town	Hybrid	R.M.	Planting Date	WP Moisture
Planted April 15 to April 30, >100 R.M.					
	No Samples Submitted				
n= 0				Average:	0.0
				Lowest:	0.0
				Highest:	0.0
Planted April 15 to April 30, <100 R.M.					
	No Samples Submitted				
n= 0				Average:	0.0
				Lowest:	0.0
				Highest:	0.0
Planted May 1 to May 15, >100 R.M.					
41		P0789AMXT	102	5/7	67.18
40		LG5565	107	5/7	66.28
42		LG5565	107	5/7	63.66
9	Mt Calvary	DKC51-38	101	5/8	67.98
33	Eldorado	Mycogen103	103	5/12	66.00
43		P0789AMXT	102	5/13	67.79
30	Rosendale	DS	109	5/13	69.85
10	Malone	DKC60-67	110	5/13	69.90
13	Malone	DKC60-67	110	5/13	67.18
48	Pickett	3202 Dairyland	102	5/14	66.71
16	Malone	F2F627	109	5/14	69.05
23		P0956 1	109	5/14	73.70
24		P0956 2	109	5/14	70.04
n= 13				Average:	68.1
				Lowest:	63.7
				Highest:	73.7
Planted May 1 to May 15, <100 R.M.					
3	Saint Cloud	LG5470	98	5/12	70.26
n= 1				Average:	70.3
				Lowest:	70.3
				Highest:	70.3

Planted May 15 or later, >100 R.M.					
7	Mt Calvary	DeKalb 51-38	101	5/15	66.96
49	Pickett	3702-9 Dairyland	102	5/15	75.33
29	Rosendale	DS	104	5/15	64.55
34	Brandon	Dairyland3605RA	105	5/15	68.03
11	Malone	DKC59-07	109	5/15	72.24
17	Leroy	RS04 BMR10B27	109	5/15	73.11
18	Leroy	RBF1 BMR10B27	109	5/15	70.54
19	Leroy	OF1 BMR10B27	109	5/15	68.79
20	Leroy	PC1 BMR10B27	109	5/15	69.52
22	Leroy	DLF1 BMR10B27	109	5/15	69.76
15	Malone	NKE111A3	111	5/15	69.71
50	Pickett	3202 Dairyland	102	5/16	59.73
1	Fond du Lac	TMF06567RA	106	5/16	72.66
38		Dairyland	107	5/23	71.47
37		Mycogen TMF09S97	109	5/23	70.22
39		Mycogen TMF09S97	109	5/23	68.28
27	Eldorado	DS3808		5/23	69.01
35	Brandon	Dairyland3605RA	105	5/26	71.02
28	Eldorado	DS3188		6/3	63.12
25	Theresa	Jungs HDS76550 1	106	6/5	65.56
26	Theresa	Jungs HDS76550 2	106	6/8	71.11
n= 21				Average:	69.1
				Lowest:	59.7
				Highest:	75.3
Planted May 15 or later, <100 R.M.					
12	Saint Cloud	Frontiersman 95	95	5/15	63.05
45	Eldorado	Dairyland3518AMXT	96	5/15	65.97
46	Mt Calvary	3899U72P/RIB	98	5/15	68.34
47	Pickett	3899	98	5/16	68.45
14	Malone	P9608AM	96	5/31	70.62
8	Malone	P9789AMXT	97	5/31	68.66
4	Saint Cloud	Mycogen Uni95	95	6/1	71.65
6	Malone	DeKalb 49-72	99	6/1	71.45
36	Brandon	Dairyland3099RA	99	6/1	71.63
5	Mt Calvary	DeKalb 46-79	96	6/4	75.12
51	Lamartine	BMR97B37RA	97	6/4	74.11
21	Leroy	D6F1 F2F499	99	6/6	73.93
31	Eldorado	DKC3630	86	6/7	66.12
2	Fond du Lac	DKC48-12	98	6/8	71.13
32	Eldorado	DS2918	86	6/10	67.71
44	Rosendale	MastersChoice4050	90	6/11	70.55
n= 16				Average:	69.9
				Lowest:	63.1
				Highest:	75.1